Module 4: Processes

- Process Concept
- Process Scheduling
- Operation on Processes
- Cooperating Processes
- Interprocess Communication

Process Concept

- An operating system executes a variety of programs:
  - Batch system – jobs
  - Time-shared systems – user programs or tasks
- Textbook uses the terms *job* and *process* almost interchangeably.
- Process – a program in execution; process execution must progress in sequential fashion.
- A process includes:
  - program counter
  - stack
  - data section

Process State

- As a process executes, it changes *state*
  - new: The process is being created.
  - running: Instructions are being executed.
  - waiting: The process is waiting for some event to occur.
  - ready: The process is waiting to be assigned to a process.
  - terminated: The process has finished execution.

Diagram of Process State



Process Control Block (PCB)

Information associated with each process.

- Process state
- Program counter
- CPU registers
- CPU scheduling information
- Memory-management information
- Accounting information
- I/O status information

Process Control Block (PCB)



CPU Switch From Process to Process



Process Scheduling Queues

- Job queue – set of all processes in the system.
- Ready queue – set of all processes residing in main memory, ready and waiting to execute.
- Device queues – set of processes waiting for an I/O device.
- Process migration between the various queues.

Ready Queue And Various I/O Device Queues



Representation of Process Scheduling



Schedulers

- Long-term scheduler (or job scheduler) – selects which processes should be brought into the ready queue.
- Short-term scheduler (or CPU scheduler) – selects which process should be executed next and allocates CPU.

Addition of Medium Term Scheduling



Schedulers (Cont.)

- Short-term scheduler is invoked very frequently (milliseconds) ⇒ (must be fast).
- Long-term scheduler is invoked very infrequently (seconds, minutes) ⇒ (may be slow).
- The long-term scheduler controls the *degree of multiprogramming.*
- Processes can be described as either:
  – I/O-*bound process* – spends more time doing I/O than computations, many short CPU bursts.
  – CPU-*bound process* – spends more time doing computations; few very long CPU bursts.

Context Switch

- When CPU switches to another process, the system must save the state of the old process and load the saved state for the new process.
- Context-switch time is overhead; the system does no useful work while switching.
- Time dependent on hardware support.

Process Creation

- Parent process creates children processes, which, in turn create other processes, forming a tree of processes.
- Resource sharing
  - Parent and children share all resources.
  - Children share subset of parent's resources.
  - Parent and child share no resources.
- Execution
  - Parent and children execute concurrently.
  - Parent waits until children terminate.

Process Creation (Cont.)

- Address space
  - Child duplicate of parent.
  - Child has a program loaded into it.
- UNIX examples
  - **fork** system call creates new process
  - **execve** system call used after a **fork** to replace the process' memory space with a new program.

A Tree of Processes On A Typical UNIX System



Process Termination

- Process executes last statement and asks the operating system to decide it (**exit**).
  - Output data from child to parent (via **wait**).
  - Process' resources are deallocated by operating system.
- Parent may terminate execution of children processes (**abort**).
  - Child has exceeded allocated resources.
  - Task assigned to child is no longer required.
  - Parent is exiting.
    - ✳ Operating system does not allow child to continue if its parent terminates.
    - ✳ Cascading termination.

Cooperating Processes

- *Independent* process cannot affect or be affected by the execution of another process.
- *Cooperating* process can affect or be affected by the execution of another process
- Advantages of process cooperation
  – Information sharing
  – Computation speed-up
  – Modularity
  – Convenience

Producer-Consumer Problem

- Paradigm for cooperating processes, *producer* process produces information that is consumed by a *consumer* process.
  - *unbounded-buffer* places no practical limit on the size of the buffer.
  - *bounded-buffer* assumes that there is a fixed buffer size.

Bounded-Buffer – Shared-Memory Solution

- Shared data

```
var n;
type item = … ;
var buffer. array [0..n–1] of item;
    in, out: 0..n–1;
```

- Producer process

```
repeat
    …
    produce an item in nextp
    …
    while in+1 mod n = out do no-op;
    buffer [in] :=nextp;
    in :=in+1 mod n;
until false;
```

Bounded-Buffer (Cont.)

- Consumer process

```
repeat
    while in = out do no-op;
    nextc := buffer [out];
    out := out+1 mod n;
       …
    consume the item in nextc
       …
    until false;
```

- Solution is correct, but can only fill up n–1 buffer.

Threads

- A *thread* (or *lightweight process*) is a basic unit of CPU utilization; it consists of:
  - program counter
  - register set
  - stack space
- A thread shares with its peer threads its:
  - code section
  - data section
  - operating-system resources

  collectively know as a *task*.
- A traditional or *heavyweight* process is equal to a task with one thread

Multiple Threads within a Task



Example:Several Threads in Word Processor

1- Interactive thread.
2- Formatting thread in background.
3- Auto-saving thread in background.



Example:Several Threads in Web Server

- Threads in web server.



Example:Several Threads in Web Server (Cont.)

- What happen if we have a web server with single thread?

```
while (TRUE) {
    get_next_request(&buf);
    handoff_work(&buf);
}
```

(a)

```
while (TRUE) {
    wait_for_work(&buf)
    look_for_page_in_cache(&buf, &page);
    if (page_not_in_cache(&page))
        read_page_from_disk(&buf, &page);
    return_page(&page);
}
```

(b)

Figure 2-11. A rough outline of the code for Fig. 2-10. (a) Dispatcher thread. (b) Worker thread.

Threads (Cont.)

- In a multiple threaded task, while one server thread is blocked and waiting, a second thread in the same task can run.
  - Cooperation of multiple threads in same job confers higher throughput and improved performance.
  - Applications that require sharing a common buffer (i.e., producer-consumer) benefit from thread utilization.
- Threads provide a mechanism that allows sequential processes to make blocking system calls while also achieving parallelism.
- Kernel-supported threads (Mach and OS/2).
- User-level threads; supported above the kernel, via a set of library calls at the user level.
- Hybrid approach implements both user-level and kernel-supported threads (Solaris 2).

Threads and Processes



Figure 4.1 **Threads and Processes [ANDE97]**

Threads and Processes (Cont.)



Thread Resources

Per process items	Per thread items
Address space	Program counter
Global variables	Registers
Open files	Stack
Child processes	State
Pending alarms	
Signals and signal handlers	
Accounting information	

Figure 2-7. The first column lists some items shared by all threads in a process. The second one lists some items private to each thread.

Threads' States

1- Spawn
2- Block
3- Unblock
4- Finish

Threads' States



Figure 4.4 Multithreading Example on a Uniprocessor

User-level and Kernel-level Threads



Figure 4.6 **User-Level and Kernel-Level Threads**

User-level and Kernel-level Threads

Figure 4.7 Examples of the Relationships between User-Level Thread States and Process States

User-level and Kernel-level Threads

H.W.

What is Jacketing?

Interprocess Communication (IPC)

- Mechanism for processes to communicate and to synchronize their actions.
- Message system – processes communicate with each other without resorting to shared variables.
- IPC facility provides two operations:
  - **send**(*message*) – message size fixed or variable
  - **receive**(*message*)
- If *P* and *Q* wish to communicate, they need to:
  - establish a *communication link* between them
  - exchange messages via send/receive
- Implementation of communication link
  - physical (e.g., shared memory, hardware bus)
  - logical (e.g., logical properties)

Implementation Questions

- How are links established?
- Can a link be associated with more than two processes?
- How many links can there be between every pair of communicating processes?
- What is the capacity of a link?
- Is the size of a message that the link can accommodate fixed or variable?
- Is a link unidirectional or bi-directional?

Direct Communication

- Processes must name each other explicitly:
  - **send** (*P, message*) – send a message to process P
  - **receive**(*Q, message*) – receive a message from process Q
- Properties of communication link
  - Links are established automatically.
  - A link is associated with exactly one pair of communicating processes.
  - Between each pair there exists exactly one link.
  - The link may be unidirectional, but is usually bi-directional.

Indirect Communication

- Messages are directed and received from mailboxes (also referred to as ports).
  - Each mailbox has a unique id.
  - Processes can communicate only if they share a mailbox.
- Properties of communication link
  - Link established only if processes share a common mailbox
  - A link may be associated with many processes.
  - Each pair of processes may share several communication links.
  - Link may be unidirectional or bi-directional.
- Operations
  - create a new mailbox
  - send and receive messages through mailbox
  - destroy a mailbox

Indirect Communication (Continued)

- Mailbox sharing
  - P_1, P_2, and P_3 share mailbox A.
  - P_1, sends; P_2 and P_3 receive.
  - Who gets the message?
- Solutions
  - Allow a link to be associated with at most two processes.
  - Allow only one process at a time to execute a receive operation.
  - Allow the system to select arbitrarily the receiver. Sender is notified who the receiver was.

Buffering

- Queue of messages attached to the link; implemented in one of three ways.
  1. Zero capacity – 0 messages
     Sender must wait for receiver (rendezvous).
  2. Bounded capacity – finite length of *n* messages
     Sender must wait if link full.
  3. Unbounded capacity – infinite length
     Sender never waits.

Exception Conditions – Error Recovery

- Process terminates
- Lost messages
- Scrambled Messages