

.....

Identifiers (Primary Keys)

Identifies, that is, one or more attributes that uniquely identify each entity instance. Such identifiers are mapped to primary keys (PKs) in tables. Identifiers are underlined in the ERD.

For example, a CAR entity may be represented by:

CAR(CAR-VIN,MOD_CODE,CAR_YEAR,CAR_COLOR)

Composite Identifiers

That is, a primary key composed of more than one attribute, for instance.

CLASS(CRS-CODE,CLASS-SECTION,CLASS_TIME,ROOM_CODE, PROF_NUM).

Composite Attributes

Is an attribute that can be further subdivided to yield additional attributes. for example the attribute ADDRESS can be subdivided into street, city, state.

Simple Attribute



Is an attribute that cannot be subdivided. For example, age, sex can be classified as simple attributes.

Single-valued Attributes

Is an attribute that can have only a single value . For example a person can have only one Social Security number. Keep in mind that a single-valued attribute is not necessarily a simple attribute. For instance, a part's serial number, such as SE-08-02-189935 is a single-valued but it is a composite attribute because it can be subdivided into the region .

Multivalued Attributes


Are attributes that can have many values. For instance, a person may have several college degrees, and a household may have several different phones, each with its own number. a car's color may be subdivided into many colors the following figure show the ERD for car's color.





Implementing Multivalued Attributes

If multivalued attributes exist, the designer must decide on one of two possible courses of action:

1. Within the original entity, create several new attributes, one for each of the original multivalued attribute's components. as figure below. Although this solution seems to work, its adoption can lead to major structural problems in the table. For example, if additional color components—such as logo color—are added for some cars, the table structure must be modified to accommodate the new color section.




2. Create a new entity composed of the original multivalued attribute's component as in figure below. The new (independent) CAR_COLOR entity is then related to the original CAR entity in a 1:M relationship. This way yields several benefits: it's a more flexible, expandable solution, and it is compatible with the relational model.



Derived Attributes

An attribute may be classified as **derived attribute** is an attribute whose value is calculated(derived) from other attributes. The derived attribute need be physically stored within the database ;instead, it can be derived by using algorithm. For example an employee's age, EMP_AGE ,may be found by computing the integer value of the difference between the current date and the EMP_DOB. A derived attribute is indicated in the Chen notation by dashed line connecting the attribute and the entity, as follows figure



Derived attributes are some times referred to as **computed attributes**. The following table shows the advantages and disadvantages of storing(or not storing) derived attributes in the database.

	stored	Not stored
advantage	Saves CPU processing cycles Save data access time Data value is readily available Can be used to keep track of historical data	Saves stronge space Computation always yields current value
disadvantage	Requires constant maintenance to ensure Derived value is current, especially if any values used in the calculation change	Uses CPU processing cycles Increases data access time Adds coding complexity to queries



RELATIONSHIPS

A relationship is an association between entities. The relationship name is an active or passive verb; for example, STUDENT takes a CLASS, PROFESSOR teaches a CLASS.

Relationships between entities always operate in both directions.